



INDUSTRIAS TECHNOFLEX SA

<http://www.technoflex.es/>

Vibrador Pneumático
Pneumatic Vibrator
Vibrateur Pneumatique





Manual de Instrucciones / Lista de Recambios
Instruction Manual / Spare Parts
Manuel d'Instructions / Liste de Pièces de Rechange

MAQUINARIA PARA LA CONSTRUCCIÓN Y OBRAS PÚBLICAS
BUILDING AND PUBLIC WORKS MACHINERY
MACHINERIE POUR LA CONSTRUCTION ET LES TRAVAUX PUBLICS



VIBRADOR PNEUMÁTICO Ø25
PNEUMATIC VIBRATOR Ø25
PNEUMATIQUE VIBRATEUR Ø25

141123R013



		VIBRADOR PNEUMÁTICO Ø25		141123R013
Pos	Descripción	Referencia	Cant.	Observaciones
01	Punta	173013R014	1	
02	Junta Tórica	4042101615	1	Ø16 x 1,5
03	Carcasa	110357R014	1	
04	Tapeta delantera	120489R014	1	
05	Chaveta de disco	4022533710	2	3 x 37 x 10A
06	Campana	173014R014	1	
07	Paleta	173010R014	1	2,5 x 7,2 x 80
08	Tapeta trasera	120488R014	1	
09	Rotor	173011R014	1	
10	Manguito	130744R014	1	Ø12 x 25
11	Junta Tórica	4042102015	1	Ø20 x 1,5
12	Rácord recto	4053301003	2	1/8''
13	Terminal funda	191125R014	1	
14	Tubo Nylon	4037110806	1	Ø6 x 8
15	Abrazadera	4000002327	2	Ref. 2327
16	Tubo ABAPRESS	4075101525	1	Ø15 x 25
17	Rácord	173008R014	1	
18	Tornillo Allen	3912205008	1	M.5 x 8 lg.
19	Empalme	173009R014	1	
20	Cierre	172992R014	1	
21	Junta Tórica	4042102435	1	Ø24 x 3,5
22	Junta Tórica	4042102935	1	Ø29 x 3,5
23	Junta Tórica	4042103532	1	Ø35 x 3,2
24	Eje de cierre	100371R013	1	
25	Racord Express ½''	4053000034	1	
26				
27				
28				
29				


		PNEUMATIC VIBRATOR Ø25		141123R013
Pos	Description	Reference	Qte	Observations
01	Head	173013R014	1	
02	O-Ring	4042101615	1	Ø16 x 1,5
03	Housing	110357R014	1	
04	Front Lid	120489R014	1	
05	Disc Key	4022533710	2	3 x 37 x 10A
06	Eccentric	173014R014	1	
07	Palet	173010R014	1	2,5 x 7,2 x 80
08	Rear Lid	120488R014	1	
09	Rotor	173011R014	1	
10	Hose Clamp	130744R014	1	Ø12 x 25
11	O-Ring	4042102015	1	Ø20 x 1,5
12	Racord	4053301003	2	1/8''
13	Terminal cover	191125R014	1	
14	Nylon tube	4037110806	1	Ø6 x 8
15	Hose Clamp	4000002327	2	Ref. 2327
16	Hose ABAPRESS	4075101525	1	Ø15 x 25
17	Racord	173008R014	1	
18	Screw Allen	3912205008	1	M.5 x 8 lg.
19	Racord	173009R014	1	
20	Closing	172992R014	1	
21	O-Ring	4042102435	1	Ø24 x 3,5
22	O-Ring	4042102935	1	Ø29 x 3,5
23	O-Ring	4042103532	1	Ø35 x 3,2
24	Axe coupling	100371R013	1	
25	Racord Express ½"	4053000034	1	
26				
27				
28				
29				

		VIBRATEUR PNEUMATIQUE Ø25		141123R013
Pos	Description	Reference	Qte	Observations
01	Pointe	173013R014	1	
02	Joint Torique	4042101615	1	Ø16 x 1,5
03	Carcasse	110357R014	1	
04	Couvercle Avant	120489R014	1	
05	Clavette	4022533710	2	3 x 37 x 10A
06	Pendule	173014R014	1	
07	Palette	173010R014	1	2,5 x 7,2 x 80
08	Couvercle Arrière	120488R014	1	
09	Rotor	173011R014	1	
10	Bague	130744R014	1	Ø12 x 25
11	Joint Torique	4042102015	1	Ø20 x 1,5
12	Raccord	4053301003	2	1/8''
13	Terminal Gaine	191125R014	1	
14	Tube NYLON	4037110806	1	Ø6 x 8
15	Anneau	4000002327	2	Ref. 2327
16	Tube ABAPRESS	4075101525	1	Ø15 x 25
17	Raccord	173008R014	1	
18	Vis Allen	3912205008	1	M.5 x 8 lg.
19	Raccord	173009R014	1	
20	Fermeture	172992R014	1	
21	Joint Torique	4042102435	1	Ø24 x 3,5
22	Joint Torique	4042102935	1	Ø29 x 3,5
23	Joint Torique	4042103532	1	Ø35 x 3,2
24	Axe Fermeture	100371R013	1	
25	Raccord Express ½"	4053000034	1	
26				
27				
28				
29				



VIBRADOR PNEUMÁTICO Ø40
PNEUMATIC VIBRATOR Ø40
VIBRATEUR PNEUMATIQUE Ø40

141122R012



		VIBRADOR PNEUMÁTICO Ø40		141122R012
Pos	Descripción	Referencia	Cant.	Observaciones
01	Punta	173004R014	1	
02	Junta Tórica	4042102725	1	Ø27 x 2,5
03	Carcasa	110356R014	1	
04	Tapeta delantera	120487R014	1	
05	Chaveta de disco	4022533710	2	3 x 37 x 10A
06	Campana	173007R014	1	
07	Paleta	173005R014	1	2,3 x 10,3 x 85
08	Tapeta trasera	120486R014	1	
09	Rotor	173006R014	1	
10	Junta Tórica	4042102502	1	Ø25 x 2
11	Abrazadera	4000001517	1	Ref. 1517
12	Terminal funda	191124R014	1	
13	Tubo PRESCORD -10AT	4075100815	1	Ø8 x 15
14	Espiga	130665R014	1	
15	Tubo SAE 100 R5	4075103222	1	Ø31,4 x 22,2
16	Abrazadera	4000003134	1	Ref: 3134
17	Rácord	173003R014	1	
18	Casquillo	130664R014	1	
19	Espiga	173002R014	1	
20	Rodillo cilíndrico	4058005005	1	Ø5 x 5 lg.
21	Rácord	173001R014	1	
22	Eje de cierre	100370R013	1	
23	Cierre	172992R014	1	
24	Junta tórica	4042102435	1	Ø24 x 3,5
25	Junta tórica	4042102935	1	Ø29 x 3,5
26	Junta tórica	4042103532	1	Ø35 x 3,2
27	Circlip	4005000016	1	E-16
28	Racord Express ½''	4053000034	1	
29				


		PNEUMATIC VIBRATOR Ø40		141122R012
Pos	Description	Reference	Qte	Observations
01	Head	173004R014	1	
02	O-Ring	4042102725	1	Ø27 x 2,5
03	Housing	110356R014	1	
04	Front Lid	120487R014	1	
05	Disc Key	4022533710	2	3 x 37 x 10A
06	Eccentric	173007R014	1	
07	Palet	173005R014	1	2,3 x 10,3 x 85
08	Rear Lid	120486R014	1	
09	Rotor	173006R014	1	
10	O-Ring	4042102502	1	Ø25 x 2
11	Hose Clamp	4000001517	1	Ref. 1517
12	Terminal Cover	191124R014	1	
13	Hose PRESCORD -10AT	4075100815	1	Ø8 x 15
14	Hose Coupling	130665R014	1	
15	Hose SAE 100 R5	4075103222	1	Ø31,4 x 22,2
16	Hose Clamp	4000003134	1	Ref: 3134
17	Racord	173003R014	1	
18	Gasket	130664R014	1	
19	Air Coupling	173002R014	1	
20	Pin	4058005005	1	Ø5 x 5 lg.
21	Racord	173001R014	1	
22	Axe Coupling	100370R013	1	
23	Closing	172992R014	1	
24	O-Ring	4042102435	1	Ø24 x 3,5
25	O-Ring	4042102935	1	Ø29 x 3,5
26	O-Ring	4042103532	1	Ø35 x 3,2
27	Circlip	4005000016	1	E-16
28	Racord Express ½"	4053000034	1	
29				

		VIBRATEUR PNEUMATIQUE Ø40		141122R012
Pos	Description	Reference	Qte	Observations
01	Pointe	173004R014	1	
02	Joint Torique	4042102725	1	Ø27 x 2,5
03	Carcasse	110356R014	1	
04	Couvercle Avant	120487R014	1	
05	Clavette	4022533710	2	3 x 37 x 10A
06	Pendule	173007R014	1	
07	Palette	173005R014	1	2,3 x 10,3 x 85
08	Couvercle Arrière	120486R014	1	
09	Rotor	173006R014	1	
10	Joint Torique	4042102502	1	Ø25 x 2
11	Anneau	4000001517	1	Ref. 1517
12	Terminal Gaine	191124R014	1	
13	Tube PRESCORD -10AT	4075100815	1	Ø8 x 15
14	Tenon	130665R014	1	
15	Tube SAE 100 R5	4075103222	1	Ø31,4 x 22,2
16	Anneau	4000003134	1	Ref: 3134
17	Raccord	173003R014	1	
18	Bague	130664R014	1	
19	Tenon	173002R014	1	
20	Rouleau cylindrique	4058005005	1	Ø5 x 5 lg.
21	Raccord	173001R014	1	
22	Axe de fermeture	100370R013	1	
23	Fermeture	172992R014	1	
24	Joint Torique	4042102435	1	Ø24 x 3,5
25	Joint Torique	4042102935	1	Ø29 x 3,5
26	Joint Torique	4042103532	1	Ø35 x 3,2
27	Circlip	4005000016	1	E-16
28	Raccord Express ½"	4053000034	1	
29				



VIBRADOR PNEUMÁTICO Ø50
PNEUMATIC VIBRATOR Ø50
VIBRATEUR PNEUMATIQU Ø50

141120R012



		VIBRADOR PNEUMÁTICO Ø50		141120R012
Pos	Descripción	Referencia	Cant.	Observaciones
01	Punta	172991R014	1	
02	Junta Tórica	4042103225	1	Ø32 x 2,5
03	Carcasa	110353R014	1	
04	Tapeta delantera	120480R014	1	
05	Chaveta de disco	4022540513	2	4 x 5 x 13A
06	Campana	172988R014	1	
07	Paleta	172987R014	1	3 x 13 x 85 lg.
08	Tapeta trasera	120481R014	1	
09	Rotor	172986R013	1	
10	Junta Tórica	4042104025	1	Ø40 x 2,5
11	Abrazadera	4000001720	1	Ref. 1720
12	Terminal funda	191121R014	1	
13	Tubo PRESCORD -20AT	4075101019	1	Ø10 x 19
14	Espiga	130660R014	1	
15	Tubo SAE 100 R5	4075103041	1	Ø30 x 41
16	Abrazadera	4000004043	1	Ref: 4043
17	Rácord	172989R013	1	
18	Casquillo	130661R014	1	
19	Espiga	172990R014	1	
20	Rodillo cilíndrico	4058006008	1	Ø6 x 8 lg.
21	Rácord	172985R014	1	
22	Eje de cierre	100370R013	1	
23	Cierre	172992R014	1	
24	Junta tórica	4042102435	1	Ø24 x 3,5
25	Junta tórica	4042102935	1	Ø29 x 3,5
26	Junta tórica	4045103532	1	Ø35 x 3,2
27	Circlip	4005000021	1	E-21
28	Racord Express ½''	4053000034	1	
29				


		PNEUMATIC VIBRATOR Ø50		141120R012
Pos	Description	Reference	Qte	Observations
01	Head	172991R014	1	
02	O-Ring	4042103225	1	Ø32 x 2,5
03	Housing	110353R014	1	
04	Front Lid	120480R014	1	
05	Disc Key	4022540513	2	4 x 5 x 13A
06	Eccentric	172988R014	1	
07	Palet	172987R014	1	3 x 13 x 85 lg.
08	Rear Lid	120481R014	1	
09	Rotor	172986R013	1	
10	O-Ring	4042104025	1	Ø40 x 2,5
11	Hose Clamp	4000001720	1	Ref. 1720
12	Terminal Cover	191121R014	1	
13	Hose PRESCORD -20AT	4075101019	1	Ø10 x 19
14	Hose Coupling	130660R014	1	
15	Hose SAE 100 R5	4075103041	1	Ø30 x 41
16	Hose Clamp	4000004043	1	Ref: 4043
17	Racord	172989R013	1	
18	Gasket	130661R014	1	
19	Air Coupling	172990R014	1	
20	Pin	4058006008	1	Ø6 x 8 lg.
21	Racord	172985R014	1	
22	Axe Coupling	100370R013	1	
23	Closing	172992R014	1	
24	O-Ring	4042102435	1	Ø24 x 3,5
25	O-Ring	4042102935	1	Ø29 x 3,5
26	O-Ring	4045103532	1	Ø35 x 3,2
27	Circlip	4005000021	1	E-21
28	Racord Express ½"	4053000034	1	
29				

		VIBRATEUR PNEUMATIQUE Ø50		141120R012
Pos	Description	Reference	Qte	Observations
01	Pointe	172991R014	1	
02	Joint Torique	4042103225	1	Ø32 x 2,5
03	Carcasse	110353R014	1	
04	Couvercle Avant	120480R014	1	
05	Clavette	4022540513	2	4 x 5 x 13A
06	Pendule	172988R014	1	
07	Palette	172987R014	1	
08	Couvercle Arrière	120481R014	1	
09	Rotor	172986R013	1	
10	Joint Torique	4042104025	1	Ø40 x 2,5
11	Anneau	4000001720	1	Ref. 1720
12	Terminal Gaine	191121R014	1	
13	Tube PRESCORD -20AT	4075101019	1	Ø10 x 19
14	Tenon	130660R014	1	
15	Tube SAE 100 R5	4075103041	1	Ø30 x 41
16	Anneau	4000004043	1	Ref: 4043
17	Raccord	172989R013	1	
18	Bague	130661R014	1	
19	Tenon	172990R014	1	
20	Rouleau cylindrique	4058006008	1	Ø6 x 8 lg.
21	Raccord	172985R014	1	
22	Axe de fermeture	100370R013	1	
23	Fermeture	172992R014	1	
24	Joint Torique	4042102435	1	Ø24 x 3,5
25	Joint Torique	4042102935	1	Ø29 x 3,5
26	Joint Torique	4045103532	1	Ø35 x 3,2
27	Circlip	4005000021	1	E-21
28	Raccord Express ½"	4053000034	1	
29				



VIBRADOR PNEUMÁTICO Ø58
PNEUMATIC VIBRATOR Ø58
VIBRATEUR PNEUMATIQUE Ø58

141124R012



		VIBRADOR PNEUMÁTICO Ø58		141124R012
Pos	Descripción	Referencia	Cant.	Observaciones
01	Punta	172994R014	1	
02	Junta Tórica	4042104025	1	Ø40 x 2,5
03	Carcasa	110354R014	1	
04	Tapeta delantera	120483R014	1	
05	Chaveta de disco	4022540513	2	4 x 5 x 13A
06	Campana	172993R014	1	
07	Paleta	172987R014	1	3 x 13 x 85 lg.
08	Tapeta trasera	120482R013	1	
09	Rotor	172986R013	1	
10	Junta Tórica	4042105002	1	Ø50 x 2,5
11	Abrazadera	4000001720	1	Ref. 1720
12	Terminal funda	191122R014	1	
13	Tubo PRESCORD -20AT	4075101019	1	Ø10 x 19
14	Espiga	130660R014	1	
15	Tubo SAE 100 R5	4075103041	1	Ø30 x 41
16	Abrazadera	4000004043	1	Ref: 4043
17	Rácord	172989R013	1	
18	Casquillo	130661R014	1	
19	Espiga	172990R014	1	
20	Rodillo cilíndrico	4058006008	1	Ø6 x 8 lg.
21	Rácord	172985R014	1	
22	Eje de cierre	100370R013	1	
23	Cierre	172992R014	1	
24	Junta tórica	4042102435	1	Ø24 x 3,5
25	Junta tórica	4042102935	1	Ø29 x 3,5
26	Junta tórica	4045103532	1	Ø35 x 3,2
27	Circlip	4005000021	1	E-21
28	Racord Express ½''	4053000034	1	
29				


		PNEUMATIC VIBRATOR Ø58		141124R012
Pos	Description	Reference	Qte	Observations
01	Head	172994R014	1	
02	O-Ring	4042104025	1	Ø40 x 2,5
03	Housing	110354R014	1	
04	Front Lid	120483R014	1	
05	Disc Key	4022540513	2	4 x 5 x 13A
06	Eccentric	172993R014	1	
07	Palet	172987R014	1	3 x 13 x 85 lg.
08	Rear Lid	120482R013	1	
09	Rotor	172986R013	1	
10	O-Ring	4042105002	1	Ø50 x 2,5
11	Hose Clamp	4000001720	1	Ref. 1720
12	Terminal Cover	191122R014	1	
13	Hose PRESCORD -20AT	4075101019	1	Ø10 x 19
14	Hose Coupling	130660R014	1	
15	Hose SAE 100 R5	4075103041	1	Ø30 x 41
16	Hose Clamp	4000004043	1	Ref: 4043
17	Racord	172989R013	1	
18	Gasket	130661R014	1	
19	Air Coupling	172990R014	1	
20	Pin	4058006008	1	Ø6 x 8 lg.
21	Racord	172985R014	1	
22	Shaft	100370R013	1	
23	Valve Coupling	172992R014	1	
24	O-Ring	4042102435	1	Ø24 x 3,5
25	O-Ring	4042102935	1	Ø29 x 3,5
26	O-Ring	4045103532	1	Ø35 x 3,2
27	Circlip	4005000021	1	E-21
28	Racord Express ½"	4053000034	1	
29				

		VIBRATEUR PNEUMATIQUE Ø58		141124R012
Pos	Description	Reference	Qte	Observations
01	Pointe	172994R014	1	
02	Joint Torique	4042104025	1	Ø40 x 2,5
03	Carcasse	110354R014	1	
04	Couvercle Avant	120483R014	1	
05	Clavette	4022540513	2	4 x 5 x 13A
06	Pendule	172993R014	1	
07	Palette	172987R014	1	3 x 13 x 85 lg.
08	Couvercle Arrière	120482R013	1	
09	Rotor	172986R013	1	
10	Joint Torique	4042105002	1	Ø50 x 2,5
11	Anneau	4000001720	1	Ref. 1720
12	Terminal Gaine	191122R014	1	
13	Tube PRESCORD -20AT	4075101019	1	Ø10 x 19
14	Tenon	130660R014	1	
15	Tube SAE 100 R5	4075103041	1	Ø30 x 41
16	Anneau	4000004043	1	Ref: 4043
17	Raccord	172989R013	1	
18	Bague	130661R014	1	
19	Tenon	172990R014	1	
20	Rouleau cylindrique	4058006008	1	Ø6 x 8 lg.
21	Raccord	172985R014	1	
22	Axe de fermeture	100370R013	1	
23	Fermeture	172992R014	1	
24	Joint Torique	4042102435	1	Ø24 x 3,5
25	Joint Torique	4042102935	1	Ø29 x 3,5
26	Joint Torique	4045103532	1	Ø35 x 3,2
27	Circlip	4005000021	1	E-21
28	Raccord Express ½"	4053000034	1	
29				



VIBRADOR PNEUMÁTICO Ø80
PNEUMATIC VIBRATOR Ø80
VIBRATEUR PNEUMATIQUE Ø80

141125R012



		VIBRADOR PNEUMÁTICO Ø80		141125R012
Pos	Descripción	Referencia	Cant.	Observaciones
01	Punta	172995R014	1	
02	Junta Tórica	4042106003	1	Ø60 x 2,5
03	Carcasa	110355R013	1	
04	Tapeta delantera	120484R013	1	
05	Chaveta de disco	4022550616	2	5 x 6,5 x 16 ^a
06	Campana	172999R014	1	
07	Paleta	172998R014	1	4 x 17 95 lg.
08	Tapeta trasera	120485R013	1	
09	Rotor	173000R013	1	
10	Junta Tórica	4042106802	1	Ø68 x 2
11	Abrazadera	4000001922	1	Ref. 1922
12	Terminal funda	191123R014	1	
13	Tubo PRESCORD -20AT	4075101221	1	Ø12 x 21
14	Espiga	130662R014	1	
15	Tubo Air- 15 AT	4075104055	1	Ø30/55
16	Casquillo	130737R014	1	12,7 x 0,7
17	Racord	172996R013	1	
18	Casquillo	130663R014	1	
19	Espiga	172997R014	1	
20	Rodillo cilíndrico	4058006008	1	Ø6 x 8 lg.
21	Rácord	172985R014	1	
22	Eje de cierre	100370R013	1	
23	Cierre	172992R014	1	
24	Junta tórica	4042102435	1	Ø24 x 3,5
25	Junta tórica	4042102935	1	Ø29 x 3,5
26	Junta tórica	4042103532	1	Ø35 x 3,2
27	Circlip	4005000021	1	E-21
28	Racord Express ½''	4053000034	1	
29				

		PNEUMATIC VIBRATOR Ø80		141125R012
Pos	Description	Reference	Qte	Observations
01	Head	172995R014	1	
02	O-Ring	4042106003	1	Ø60 x 2,5
03	Housing	110355R013	1	
04	Front Lid	120484R013	1	
05	Disc Key	4022550616	2	5 x 6,5 x 16 ^a
06	Eccentric	172999R014	1	
07	Palet	172998R014	1	4 x 17 95 lg.
08	Rear Lid	120485R013	1	
09	Rotor	173000R013	1	
10	O-Ring	4042106802	1	Ø68 x 2
11	Hose Clamp	4000001922	1	Ref. 1922
12	Terminal Cover	191123R014	1	
13	Hose PRESCORD -20AT	4075101221	1	Ø12 x 21
14	Hose Coupling	130662R014	1	
15	Hose Air- 15 AT	4075104055	1	Ø30/55
16	Hose Clamp	130737R014	1	12,7 x 0,7
17	Racord	172996R013	1	
18	Gasket	130663R014	1	
19	Air Coupling	172997R014	1	
20	Pin	4058006008	1	Ø6 x 8 lg.
21	Racord	172985R014	1	
22	Shaft	100370R013	1	
23	Valve Coupling	172992R014	1	
24	O-Ring	4042102435	1	Ø24 x 3,5
25	O-Ring	4042102935	1	Ø29 x 3,5
26	O-Ring	4042103532	1	Ø35 x 3,2
27	Circlip	4005000021	1	E-21
28	Racord Express ½"	4053000034	1	
29				

		VIBRATEUR PNEUMATIQUE Ø80		141125R012
Pos	Description	Reference	Qte	Observations
01	Pointe	172995R014	1	
02	Joint Torique	4042106003	1	Ø60 x 2,5
03	Carcasse	110355R013	1	
04	Couvercle devant	120484R013	1	
05	Clavette	4022550616	2	5 x 6,5 x 16 ^a
06	Pendule	172999R014	1	
07	Palette	172998R014	1	4 x 17 95 lg.
08	Couvercle Arrière	120485R013	1	
09	Rotor	173000R013	1	
10	Joint Torique	4042106802	1	Ø68 x 2
11	Anneau	4000001922	1	Ref. 1922
12	Terminal Gaine	191123R014	1	
13	Tube PRESCORD-20AT	4075101221	1	Ø12 x 21
14	Tenon	130662R014	1	
15	Tube Air 15AT	4075104055	1	Ø30/55
16	Bague	130737R014	1	12,7 x 0,7
17	Raccord	172996R013	1	
18	Bague	130663R014	1	
19	Tenon	172997R014	1	
20	Rouleau cylindrique	4058006008	1	Ø6 x 8 lg.
21	Raccord	172985R014	1	
22	Axe de fermeture	100370R013	1	
23	Fermeture	172992R014	1	
24	Joint Torique	4042102435	1	Ø24 x 3,5
25	Joint Torique	4042102935	1	Ø29 x 3,5
26	Joint Torique	4042103532	1	Ø35 x 3,2
27	Circlip E-21	4005000021	1	E-21
28	Raccord Express ½"	4053000034	1	
29				

INDUSTRIAS TECHNOFLEX, S.A.

Ctra. d'Ullastrell S/N
Apartado de correos, 43
E-08191 RUBÍ (Barcelona)-SPAIN

Tel. (+34) 93 588 53 37
Fax (+34) 93 697 37 54
e-mail: technoflex@ficsa.com
Internet: <http://www.technoflex.es>



Cód. : 4046600035 05/11



INDUSTRIAS TECHNOFLEX SA