



INDUSTRIAS TECHNOFLEX SA

<http://www.technoflex.es/>

Concrete Cutter CA-350



Instruction Manual / Spare Parts

BUILDING AND PUBLIC WORKS MACHINERY

IV LUBRICATION AND SERVICE

- Check oil levels, wiring, hoses (air, fuel, water) and lubricate machine daily.
- Repair or replace all worn or damaged components immediately.
- Check drive belt tension, do not over-tension.
- Make sure machine has full set of matched belts.
- Check bladeshaft, make sure arbor and threads are not worn, damaged, or bent.
- Bladeshaft bearings should be tight, no free play side-to-side or up and down.
- Grease blade shaft bearings daily.
- Blade collars should be clean, free of nicks and burrs. No diameter wear and not out of round.
- Drive pin not excessively worn or bent and free of gouges.
- All guards in place and secure.
- All fasteners tight and secure.
- Air filter/oil filter (hydraulic or engine) clean.
- Flush clean water through the pump and spray the assembly every night. This prolongs the pump and blade life.

Lubricants:

Engine Oil SAE 10W/30

General Grease #1 Lithium

- Clean machine before starting lubrication maintenance.
- Insure machine is on solid, level ground before starting maintenance.
- During lubrication maintenance insure strict cleanliness is observed at all times.
- To avoid the risk of accidents, use the correct tool for the job and keep tools clean.
- The draining of engine oil is best carried out when the oil is warm NOT hot.
- Any spilled oil must be cleaned up immediately.
- Use only clean containers for oil and only CLEAN, FRESH oils and grease of correct grade.
- Contaminated Water/Fluids/Oils/Filters Must Be Disposed of Safely.

V SEPECIFICATION

Motor

Petrol, Honda GX160 4.0kw output

Operation Mass:

83kgs

Max. Cutting Depth -----90mm (3.5 in)

Blade size ----- 250-350mm (10-14in)

Depth Adjustment ----- Handle Rotation

Driving -----Manual Push

Water Tank Capacity ----- 12L

VI REPLACEMENT PARTS LIST

INDUSTRIAS TECHNOFLEX, S.A.

Ctra. d'Ullastrell s/n · Av. Castellbisbal s/n
Apartado de correos, 43
E-08191 RUBÍ (Barcelona)-SPAIN

Tel. (+34) 93 588 53 37

Fax (+34) 93 697 37 54

e-mail: technoflex@ficsa.com

Internet: <http://www.technoflex.es>



Cód.:4046600025



INDUSTRIAS TECHNOFLEX SA